UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/791,869	03/04/2004	Hubert Jansen	06478.1500	5244
	7590 02/14/2008 GAN, HENDERSON, FARABOW, GARRETT & DUNNER		EXAMINER	
LLP			WIEST, PHILIP R	
901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413			ART UNIT	PAPER NUMBER
			3761	
			MAIL DATE	DELIVERY MODE
			02/14/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/791,869	JANSEN ET AL.
Office Action Summary	Examiner	Art Unit
	PHILIP WIEST	3761
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the o	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPI WHICHEVER IS LONGER, FROM THE MAILING I  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION  .136(a). In no event, however, may a reply be tilt  d will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 14 1     This action is <b>FINAL</b> . 2b) ☐ The 3 ☐ Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 12-34 is/are pending in the application 4a) Of the above claim(s) is/are withdress 5) Claim(s) is/are allowed. 6) Claim(s) 12-34 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers  9) The specification is objected to by the Examination of the drawing(s) filed on is/are: a) according to application and the drawing(s) filed on is/are: a) according to application.	awn from consideration.  or election requirement.	Examiner.
Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre	e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail D 5)  Notice of Informal F 6)  Other:	ate

#### **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/14/07 has been entered.

### Response to Amendment

In the response filed 11/14/07, applicant amended claims 12 and 31 and added new claim 34. Claims 12-34 are currently pending.

# Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 12 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The phrase "wherein a distance between a base of the sealing portion and an end of the sealing portion on the piercing mandrel is less than the length between the base of the sealing portion and a lower surface of the elastic

Art Unit: 3761

stopper within the container" is unclear because it does not define which end of the sealing portion is being referenced. The examiner recommends that this claim be amended to recite "a *distal* end" of the sealing portion.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 12-19, 21-23, 26-29, and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thiebault et al. (US 2002/0121496) in view of Niedospial (US 5,895,383).
- 3. With respect to claims 12, 14, 15-18, 19, and 21-23, Thiebault et al. discloses a fluid transfer set comprising a lid portion (44) and an edge portion (50) forming a receiving cap (20). Thiebault further discloses a piercing mandrel (92) that includes a sealing portion and a piercing portion (84), which is configured to pierce the elastic stopper. The piercing mandrel is *fully capable* of piercing the elastic stopper while bead is being disposed in the space if the operator presses the piercing mandrel downward at the same time. The piercing mandrel also comprises a flow channel configured to convey fluid away from the container. Thiebault further discloses an elastic stopper (36) whose edge portion is configured to center the bead within the space, and a sealing

portion (52, 82 and 86) with a greater diameter than that of the piercing portion (84). The transition between the piercing portion 84 and the sealing portion 82 is substantially stepless. The sealing portion is configured to contact the elastic stopper when the bead is substantially disposed in the space. When a beaded bottle (22) is substantially disposed in the space, the piercing mandrel (84) is configured to pierce the elastic stopper (36), as per claim 16. In addition, the edge portion of the transfer device (50) includes an inward projection (46a) capable of engaging the behind portion of the bead (26), as per claim 17. The transfer device further comprises a central longitudinal axis, as per clam 13, as shown in Figures 3-5. Thiebault et al., however, does not specifically disclose that the sealing portion is formed integrally with and extending from the lid portion, such that the distance between the base of the sealing portion and the distal end of the sealing portion on the piercing mandrel is less than the length between the base of the sealing portion and the lower surface of the elastic stopper within the container.

Niedospial discloses a medicament container closure having a recessed integral spike. The spike comprises a piercing portion 116 and a sealing portion (above annular groove 113) that are formed integrally with a lid portion 118. The sealing portion (above section 113) extends downward such that it creates a seal at the top of the stopper (while not extending to the bottom of the stopper), thereby preventing fluid from leaking out of the container (see Figure 8). Additionally, the width of the piercing mandrel is stepped (at section 113) as it transitions from the piercing portion to the sealing portion, as per Claims 14 and 15. When the bead of a vial is inserted into the interior space, the

Application/Control Number: 10/791,869 Page 5

Art Unit: 3761

sealing portion contacts the top of the elastic stopper at substantially the same time as the inward projection engages the bead, therefore creating a seal at the exact time that the piercing portion penetrates the bottom portion of the seal. It would have been obvious to one of ordinary skill in the art at the time of invention to modify the fluid transfer set having a cylindrical piercing member of Thiebault et al. with the use of an integral sealing member of Niedospial in order to prevent fluids from leaking through the elastic stopper around the outside of the piercing mandrel, thereby preventing leaks and ensuring the sterility of the fluid.

- 4. With respect to Claim 13, Thiebault discloses that the receiving cap includes a symmetrical, longitudinal axis.
- 5. With respect to Claim 27, Thiebault discloses that the piercing portion 84 of the piercing mandrel is disposed closer to the inward projection 46a than to the lid portion 44. See Figure 1.
- 6. Claims 12, 13, 15, 19, 22, 24, and 25 are rejected under 35 U.S.C. 102(b) as being anticipated by Wadsworth, Jr. (US 5, 374, 264).
- 7. With respect to Claims 12 and 13, Wadsworth Jr. discloses a fluid transfer device comprising a lid portion 40 and an edge portion 15 forming a receiving cap, the receiving cap defining a space configured to receive a bead of a container closed by an elastic stopper, the edge portion being configured to center the bead of a container (via

Art Unit: 3761

angled walls 13 and ribs 32) within the space when the bead is substantially disposed within the space, and a piercing mandrel 26 connected to the lid portion and projecting into the space. The piercing mandrel 26 includes a piercing portion 23 configured to pierce the elastic stopper while the bead is being disposed in the space. The mandrel further comprises a sealing portion 24 having a diameter greater than the mandrel, the sealing portion being configured to contact the elastic stopper when the bead is substantially disposed in the space (see figure 4), and a flow channel being configured to convey fluid away from the container. The sealing portion 24 is formed integrally with the lid portion 14 and contacts the piercing portion. When a vial is inserted and the stopper is pierced by the piercing portion, the distance between the base of the sealing portion (i.e. at the lid) and the distal end of the sealing portion is less than the length between the base of the sealing portion and the lower surface of the elastic stopper. In other words, the sealing portion contacts the top surface of the stopper, but not the bottom surface, thereby forming a seal that prevents fluid from leaking through the top surface. See Figure 4.

Page 6

- 8. Regarding Claim 13, the receiving cap is symmetrical about a central longitudinal axis 34.
- 9. With respect to Claims 15 and 19, the sealing portion 24 of the mandrel includes an end face (adjacent lid portion 40) that is substantially annular. The annular end face of the sealing portion is connected to the rest of the sealing element, and effectively prevents fluid from flowing around the sides of the mandrel (see Figure 2), as per Claim 19.

Application/Control Number: 10/791,869 Page 7

Art Unit: 3761

10. With respect to Claim 22, the sealing portion 24 is substantially conically shaped and adjoins the piercing portion of the mandrel.

11. With respect to Claims 24 and 25, the piercing mandrel is embedded in and stationary relative to the lid portion

# Claim Rejections - 35 USC § 103

- 12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 13. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

Application/Control Number: 10/791,869

Art Unit: 3761

not commonly owned at the time a later invention was made in order for the examiner to

Page 8

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g)

prior art under 35 U.S.C. 103(a).

14. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over

Thiebault et al. in view of Niedospial, and further in view of Meyer (US 5,358,501).

Thiebault et al. and Niedospial teach all the limitations of the parent claims 12, 15, and

19 (see rejection above), but do not teach that the sealing element is an o-ring.

Thiebault et al. discloses a round opening between the edge portion and the sealing

portion, thus motivating one skilled in the art to include a seal that fits round openings.

The use of o-rings for sealing means in medical devices is known in the art. Meyer

(5358501) discloses a storage bottle containing a constituent of a medical solution,

which employs an o-ring as a sealing element between the two containers. Thus, it

would be obvious to one skilled in the art to apply the o-ring of Meyer to the fluid

transfer device of Thiebault et al., because doing so will achieve an effective and

inexpensive sealing means, thereby preventing the loss of fluid around the edges of the

vial.

15. Claims 30-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Thiebault et al. in view of Niedospial, and further in view of Zinger et al. (US 6,558,365).

Thiebault et al. and Niedospial disclose the device of Claims 12 and 17 substantially as

claimed (see rejection above), but do not disclose that the edge portion further

comprises a free edge extending away from the inward projection 46a. Zinger et al.

Page 9

position as it is inserted.

discloses a fluid transfer device comprising an edge portion that has an inward projection that holds the bead of a container in position and a free edge portion 26 extending away from the inward projection in a direction that is substantially parallel to the central axis (see Figure 2). The free edge portion has a larger inner and outer diameter than the rest of the receiving cap 20" and therefore is capable of guiding a container such that it is centered as it is inserted onto the piercing mandrel. It is very important that the mandrel pierces the elastic stopper in the center in order to reduce the chances of the stopper tearing as well as ensure that the neck of the bottle does not impede the mandrel. Furthermore, the use of flanges such as these is well established in the art in order to properly center and secure mandrel over the stopper of a bottle (Column 4, Lines 24-33). Therefore, it would have been obvious to one skilled in the art at the time of invention to modify the fluid transfer device of Thiebault et al. with the outwardly-extending flares of Zinger et al. in order to guide a bottle into the desires

#### Conclusion

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to PHILIP WIEST whose telephone number is (571)272-3235. The examiner can normally be reached on 8:30am-5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on (571) 272-1115. The fax phone

Application/Control Number: 10/791,869 Page 10

Art Unit: 3761

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Phil Wiest/ Examiner, Art Unit 3761 2/6/08

/Tatyana Zalukaeva/ Supervisory Patent Examiner, Art Unit 3761